

Australian Made Rural Water Tanks

ZINCALUME® and COLORBOND® 26,000L-365,000L







Steel corrugated tanks

Kingspan tanks range from 26,000L–365,000L and are built tough in genuine BlueScope Steel to suit the harsh Australian conditions. Available in ZINCALUME® or in the full range of genuine COLORBOND® colours, all tanks come with a unique 7 layer liner making them ideal for rural applications. Tanks are Australian made and come with a 20 year conditional warranty.

Tank sizes



Model	Capacity for 2.2m high tanks*		Tank	Pad
	Litres	Gallons	Diameter	Diameter
RT-25	26,062	5,792	3.88	5.5
RT-40	40,723	9,049	4.85	6.5
RT-60	58,640	13,031	5.82	7.5
RT-80	79,816	17,737	6.79	8.5
RT-100	104,250	23,167	7.76	9.5
RT-130	131,941	29,320	8.73	10.5
RT-160	162,890	36,198	9.71	11.5
RT-200	197,097	43,799	10.68	12.5
RT-230	234,562	52,125	11.65	13.5
RT-275	275,284	61,174	12.62	14.5
RT-310*	309,235	68,710	11.65m (2.9m h)	13.5
RT-365*	362,979	80,639	12.62m (2.9m h)	14.5



Standard Inclusions

Aqua-King tank liner, full COLORBOND® range, BlueScope steel corrugated wall and roof sheets, tank inlet, 50mm outlet and ball valve, removable internal/external ladder, lockable access hatch, 100mm bell mouth overflow, magnesium anodes for corrosion protection, 20 year conditional warranty.

Optional Extras

Tank level gauge, dust and vermin proofing seal, additional outlets and valves, firefighting outlets, 150mm bell mouth overflows, 50mm scour drain, HiFlow deep leaf basket and more!







Steel Corrugated and Streamline tanks

Kingspan tanks range from 27,000L–353,000L and are built tough in genuine BlueScope Steel to suit the harsh Australian conditions. Available in ZINCALUME® or in a range of genuine COLORBOND® colours, all tanks come with a unique 7 layer liner making them ideal for rural applications. Tanks are Australian made and come with a 20 year conditional warranty.

Tank sizes





Corrugated profile

	•		
Tank code	Litres	Height	Diameter
СТ6	27,396	2.27	3.92
СТ9	39,383	2.27	4.70
CT12	53,735	2.27	5.49
CT15	69,866	2.27	6.26
CT20	88,864	2.27	7.06
CT25	109,584	2.27	7.84
CT30	132,781	2.27	8.63
CT35	157,868	2.27	9.41
CT41	184,761	2.27	10.18
CT48	215,333	2.27	10.99
CT54	246,984	2.27	11.77
CT60	280,804	2.27	12.55
CT70	315,843	2.27	13.31
CT80	353,947	2.27	14.09

Streamline profile

Tank code	Litres	Height	Diameter
HGT55	54,682	2.31	5.49
HGT75	71,097	2.31	6.26
HGT90	90,430	2.31	7.06
HGT110	111,515	2.31	7.84
HGT135	135,121	2.31	8.63
HGT160	160,650	2.31	9.41
HGT188	188,017	2.31	10.18
HGT220	219,128	2.31	10.99
HGT250	251,336	2.31	11.77
HGT285	285,752	2.31	12.55

Standard Inclusions

Aqua-King tank liner, full COLORBOND® range, BlueScope steel corrugated wall and roof sheets, tank inlet, 50mm outlet and ball valve, removable internal/external ladder, lockable access hatch, 100mm bell mouth overflow, magnesium anodes for corrosion protection, 20 year conditional warranty.

Optional Extras

Tank level gauge, unique roof catchment gutter, dust and vermin proofing seal, additional outlets and valves, firefighting outlets, 150mm bell mouth overflows, 50mm scour drain, HiFlow deep leaf basket and more!



How many litres of water can you harvest per year?

Use this formula to calculate how much rainwater you can harvest from your roof (catchment area)

Catchment Area	Annual Rainfall	Total Rainwater Harvested
m²	mm	E L
Example: An average house of 600m can harvest 210,000 lit	and medium sized shed (350m²) in a cres per year.	region with an annual rainfall of

Kingspan Water & Energy Pty Ltd.

Perth

54 Collopy Road Hazelmere WA 6105

Deniliquin Warehouse/Depot

Lot 2 Wakool Road Deniliquin NSW 2710

Sydney

3 Herbert Place Smithfield NSW 2164

Melbourne

55 Ricky Way Epping VIC 3076

Brisbane

Unit 2/59 Link Drive Yatala QLD 4132











1800 115 552